

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/810,701	03/29/2004	Takeo Ohsaka	Q80771	9046
65565 SUGHRUE-265	7590 06/28/200 5550	7	EXAMINER	
	LVANIA AVE. NW N, DC 20037-3213		JOYNER, KEVIN	
WASHINGTO	N, DC 20037-3213		ART UNIT	PAPER NUMBER
			1744	
			MAIL DATE	DELIVERY MODE
			06/28/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/810,701	OHSAKA ET AL.			
Office Action Summary	Examiner	Art Unit			
	Kevin C. Joyner	1744			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be time will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	icly filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 4/17	<u>′/07</u> .				
· 	•				
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) Claim(s) 1.2 and 5 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1.2 and 5 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.					
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomposed and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct to be a composed and accomposed accomposed accomposed accomposed and accomposed	cepted or b) objected to by the lead of a drawing(s) be held in abeyance. See ction is required if the drawing(s) is object.	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119	•				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	nte			

FINAL ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1 and 2 are rejected under 35 U.S.C. 102(e) as being clearly anticipated by Merk et al. (U.S. Patent No. 6,387,238).

Merk discloses a method for the sterilizing/cleaning of an object with an aqueous solution of a peroxide, which comprises:

Providing an electrolytic cell (10) comprising an anode chamber (12) including an anode (16), a cathode chamber (14) including a gas cathode (18), a catholyte inlet and a catholyte outlet, a membrane (20) separating the anode and cathode chambers, and a particulate solid acid catalyst arranged between the gas cathode and the membrane (column 4, lines 41-64; column 5, lines 24-34; column 8, lines 64-66),

Supplying an oxygen-containing gas to the cathode chamber (column 5, lines 24-28), supplying an aqueous electrolyte containing acetic acid and/or an acetate to the cathode chamber (column 5, lines 42-45; column 6, lines 11-20), and applying a voltage

across the anode and the cathode to thereby electrolytically synthesizing a peracetic acid-containing aqueous solution (column 5, lines 13-21), and

Contacting the object with the peracetic acid-containing aqueous solution (column 11, lines 54-60). More specifically, the reference discloses that the acid catalyst (referenced as peracetic acid precursor) is supplied in solid or liquid form (column 8, lines 64-65). Since the liquid form is supplied between the gas cathode and the membrane as shown in Figure 1, then the solid form is known to be supplied in that area as well. Furthermore, the peracetic acid precursor is added before the formation of the peroxide species (column 8, lines 54-55). Therefore, the peroxide species would be formed by the voltage sent to the cathode and anode and simultaneously react with the peracetic acid precursor to form the peracetic acid solution, and wherein the peracetic acid solution is formed inside the cathode chamber and supplied directly from the chamber to a decontamination system via a fluid line (89) as disclosed in column 11, lines 56-59. Thus, a voltage is applied across the anode and the cathode to electrolytically synthesize a peracetic acid-containing aqueous solution.

Concerning claim 2, Merk also discloses that the aqueous solution of a peroxide used for the sterilizing/cleaning of the object is reused for electrolytic synthesis (column 12, lines 44-52).

Application/Control Number: 10/810,701 Page 4

Art Unit: 1744

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Merk et al. (U.S. Patent No. 6,387,238) in view of Tennakoon et al (U.S. Patent No. 6,949,178).

Merk is relied upon as set forth in reference to claim 1 wherein Merk discloses a method for the electrolytic synthesis of peracetic acid (column 3, lines 29-40) which comprises electrolytically synthesizing peracetic acid from an acid and an oxygen-containing gas as starting materials in the presence of a solid acid catalyst, said step of electrolytically synthesizing peracetic acid comprises:

Providing an electrolytic cell (10) comprising an anode chamber (12) including an anode (16), a cathode chamber (14) including a gas cathode (18), a catholyte inlet and a catholyte outlet, a membrane (20) separating the anode and cathode chambers, and a particulate solid acid catalyst arranged between the gas cathode and the membrane (column 4, lines 41-64; column 5, lines 24-34; column 8, lines 64-66),

Supplying an oxygen-containing gas to the cathode chamber (column 5, lines 24-28), supplying an aqueous electrolyte containing acetic acid and/or an acetate to the cathode chamber (column 5, lines 42-45; column 6, lines 11-20), and applying a voltage

across the anode and the cathode to thereby electrolytically synthesizing a peracetic acid-containing aqueous solution (column 5, lines 13-21), and

Contacting the object with the peracetic acid-containing aqueous solution (column 11, lines 54-60). More specifically, the reference discloses that the acid catalyst (referenced as peracetic acid precursor) is supplied in solid or liquid form (column 8, lines 64-65). Since the liquid form is supplied between the gas cathode and the membrane as shown in Figure 1, then the solid form is known to be supplied in that area as well. Furthermore, the peracetic acid precursor is added before the formation of the peroxide species (column 8, lines 54-55). Therefore, the peroxide species would be formed by the voltage sent to the cathode and anode and simultaneously react with the peracetic acid precursor to form the peracetic acid solution, and wherein the peracetic acid solution is formed inside the cathode chamber and supplied directly from the chamber to a decontamination system via a fluid line (89) as disclosed in column 11, lines 56-59. Thus, a voltage is applied across the anode and the cathode to electrolytically synthesize a peracetic acid-containing aqueous solution.

Merk does not appear to disclose that the component utilized with the oxygen containing gas in the process is acetic acid and/or acetate. However, it is conventionally known in the art of electrolytic synthesis to use acetic acid and/or acetate to produce peracetic acid. Tennakoon discloses one example of this teaching in a method for the electrolytic synthesis of peracetic acid which comprises electrolytically synthesizing peracetic acid from the acetic acid and/or acetate and an oxygen containing gas as starting materials in the presence of a solid acid catalyst in column

12, lines 19-47. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the method of Merk to utilize acetic acid or acetate to produce peracetic acid, as such is a conventionally known and commonly used chemical in the electrolytic synthesis of peracetic acid as exemplified by Tennakoon.

Response to Arguments

5. Applicant's arguments filed April 17, 2007 with respect to claims 1 and 2 have been fully considered but they are not persuasive.

Applicants' principle arguments are:

(a) The invention of the present claim 1 is characterized in that a peracetic acidcontaining aqueous solution is electrolytically synthesized, which limitation is not met by
Merk et al. In Merk et al, electrolytically generated hydrogen peroxide reacts with
peracetic acid precursor, such as acetic acid and/or acetate, to generate an
antimicrobial solution containing peracetic acid. In reference to Fig. 1 of Merk et al,
catholyte containing hydrogen peroxide is withdrawn from the cathode chamber 14
through an outlet 72 to a holding chamber 74. The peracetic acid precursor, which may
be for example, acetic acid, is supplied to the holding chamber 74 from a reservoir 78
(col. 8, lines 54; col. 9, line 3). The peracetic acid thus produced is carried from the
holding tank 74 via a fluid line 89 to a decontamination system 90 (col. 11, lines 54-58).

As discussed above, the peracetic acid precursor is added before or during the formation of the peroxide species (column 8, lines 54-55), wherein it is removed directly

from the cathodic chamber (14) to a decontamination system (column 11, lines 56-59). Thus, the method receives the peracetic acid precursor in the cathode chamber and is subsequently electrolytically synthesized to form a peracetic acid containing aqueous solution, wherein it is sent directly from the cathode chamber (14) to a decontamination system.

- (b) Merk et al does not disclose the use of a particulate solid acid catalyst
 As discussed above, Merk discloses a solid acid catalyst in column 8, lines 6465. The peracetic acid precursor is an acid catalyst as disclosed in column 8, lines 1352.
- 6. Applicant's argument with respect to claim 5 has been considered but is moot in view of the new ground(s) of rejection.

Applicants' principle argument is:

(c) The invention of amended claim 5 is characterized in that the particulate solid acid catalyst (44) is arranged between cathode (42) and membrane (43). This limitation of amended claim 5 is not met by Tennakoon et al, where the catalyst provided on the surface of anode (204) is present in the anode compartment and is separated from cathode (207) via intervening electrolyte (205).

The argument is moot in view of the new grounds of rejection.

Application/Control Number: 10/810,701 Page 8

Art Unit: 1744

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin C. Joyner whose telephone number is (571) 272-2709. The examiner can normally be reached on M-F 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gladys Corcoran can be reached on (571) 272-1214. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/810,701 Page 9

Art Unit: 1744

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

KCJ

SUPERVISORY PATENT EXAMINER